



POLAR RANGE OF EV (Environmental) CABINETS

Cold series of cabinets

The air conditioned units are fitted with a condensate dissipater perfect for production environments





POLAR RANGE

Polar EV Cabinets

Width: 600 & 800mm Depths: 1000, 1200mm
Heights: 25u, 34u, 38u, 42u, 47u

The POLAR cabinet range is ideal for harsh environments in the industrial sector, mining, power plants etc. Heavy guage steel and sealing with continuous air cushioned rubber gaskets ensures the cabinet is dust and water proof. The front and rear doors are secured with a 3 point locking system.

- 1 Loading Capacity** 1200 kg's
- 2 Materials** High-quality cold rolled steel
- 3 Thickness**
Cabinet: 1.6mm mild steel
Mounting rails: 2mm - mild steel
Doors and side panels: 1.6mm mild steel
- 4 Side Panels** Removable
- 5 Doors** Front and rear
- 6 Colors**
Black-RAL9004
White-RAL7035
Grey-RAL7032
- 7 Surface Finish** Degreasing, Pickling, Phosphating, 7 Tank Dip System Powder Coating
- 8** Cable entry glands provided in base plinth



Server-Racks

Get the most out of your server room storage with our server racks and accessories. Our range offers a stable and durable platform for your valuable network and AV equipment.

We can help you:

- Neatly store and secure equipment
- Ensure easy access and monitoring
- Manage cooling and airflow issues
- Manage cable issues to reduce clutter
- Fit your equipment properly in its space with different size and mounting options

CPS House

Cnr Suttie Road and James Crescent,
Halfway House, Midrand,
Gauteng, South Africa

600mm Wide (19")

25u models	Code	U	Height	Depth	kg's
	IP52V.6825.GRYEV	25	1430	800	120
	IP52V.6025.GRYEV	25	1430	1000	135

34u models	Code	U	Height	Depth	kg's
	IP52V.6834.GRYEV	34	1830	800	139
	IP52V.6034.GRYEV	34	1830	1000	156

38u models	Code	U	Height	Depth	kg's
	IP52V.6838.GRYEV	38	2012	800	147
	IP52V.6038.GRYEV	38	2012	1000	165

42u models	Code	U	Height	Depth	kg's
	IP52V.6842.GRYEV	42	2190	800	162
	IP52V.6042.GRYEV	42	2190	1000	182

47u models	Code	U	Height	Depth	kg's
	IP52V.6847.GRYEV	47	2412	800	173
	IP52V.6047.GRYEV	47	2412	1000	194

800mm Wide (19")

25u models	Code	U	Height	Depth	kg's
	IP52V.8825.GRYEV	25	1430	800	138
	IP52V.8025.GRYEV	25	1430	1000	155

34u models	Code	U	Height	Depth	kg's
	IP52V.8834.GRYEV	34	1830	800	159
	IP52V.8034.GRYEV	34	1830	1000	177

38u models	Code	U	Height	Depth	kg's
	IP52V.8838.GRYEV	38	2012	800	169
	IP52V.8038.GRYEV	38	2012	1000	188

42u models	Code	U	Height	Depth	kg's
	IP52V.8842.GRYEV	42	2190	800	185
	IP52V.8042.GRYEV	42	2190	1000	207

47u models	Code	U	Height	Depth	kg's
	IP52V.8847.GRYEV	47	2412	800	197
	IP52V.8047.GRYEV	47	2412	1000	220

COLD RACK SERIES: AIR CONDITIONERS

CODE	WATT	Ht	W	D
EVE040	500w	630	310	220
EVE080	850w	630	310	220
EVE110	*1050w	930	410	240
EVE140	*1400w	930	410	240
EVE200	*2000w	930	410	240
EVE280	*2700w	1234	508	375
EVE410	*4000w	1234	508	375





CPS

TECHNOLOGIES

www.cps-africa.com

CPS House

Cnr Suttie Road and James Crescent,
Halfway House, Midrand,
Gauteng, South Africa

Tel +27 11 312 9310

Fax +27 11 312 4392

Email info@cps-africa.com

www.cps-africa.com



Made in South Africa

Manufactured to International Standards
Exported Globally