



## ARIES RANGE

# IP55 WALL MOUNT CABINETS AND SWING CABINETS

#### **Dust & Weather Protection**

The ARIES range of 19" outdoor enclosures offers protection against weather & dust.









#### **IP55 Wall Mount Cabinets**

Wall units depth: 450mm 4u, 6u, 9u, 12u, 15u, 20u


The ARIES range of 19" outdoor enclosures offers protection against weather & dust. The cabinets are manufactured from powder coated steel. The units comes in either ventilated or non-ventilated versions. Fans are mounted on the bottom gland plate and have washable filters. Cable entry is via the bottom gland plate. The door is sealed with reinforced continuous air cushioned rubber gaskets which are fitted onto a bent double lip gutter. The manufacturing process incorporates sophisticated laser & CNC technologies prior to chemical cleaning and powder coating with a UV resistant coating.



### **IP55 Swing Cabinets**

Wall units depth: 550mm and 650mm 4u, 6u, 9u, 12u, 15u, 20u

The ARIES swing frame cabinet has all the attributes of the single frame cabinet but with the uniquely sealed open rear portion. Special tooling was developed to achieve the complicated all-in-one double bend over waterproof design. Units are manufactured from powder coated steel and come in either ventilated or non-ventilated versions. Fans are mounted on the bottom gland plate and have washable filters. Cable entry is also via the bottom gland plate. The door is sealed with reinforced continuous air cushioned rubber gaskets which are fitted onto a bent double lip gutter. The manufacturing process incorporates sophisticated laser & CNC technologies prior to chemical cleaning. Units are powder coating with a UV resistant coating.



#### **CPS House**



# Wall Mount Units 550W x 450D Swing Units 550W x 550D or 650D

| els | Code  IP55WM4U-ODG | U | Height | Vente | d kg's |
|-----|--------------------|---|--------|-------|--------|
| POE | IP55WM4U-ODG       | 4 | 240    | NO    | 15     |
| 4n  | IP55WM4U-ODGV      | 4 | 240    | YES   | 16     |

| dels | Code          | U | Height |     | d kg's |
|------|---------------|---|--------|-----|--------|
| Ĕ    | IP55WM6U-ODG  | 6 | 330    | NO  | 17     |
| n9   | IP55WM6U-ODGV | 6 | 330    | YES | 18     |

| 9u models | Code          | U | Height | Vente | d kg's |
|-----------|---------------|---|--------|-------|--------|
| OE U      | IP55WM9U-ODG  | 9 | 460    | NO    | 20     |
| n6        | IP55WM9U-ODGV | 9 | 460    | YES   | 21     |

| =    | Code           | U  | Height | Vente | d kg's |
|------|----------------|----|--------|-------|--------|
| OE I | IP55WM12U-ODG  | 12 | 330    | NO    | 25     |
| 12u  | IP55WM12U-ODGV | 12 | 330    | YES   | 26     |

| dels | Code IP55WM15U-ODG IP55WM15U-ODGV | U  | Height | Vented kg's |    |
|------|-----------------------------------|----|--------|-------------|----|
| ШO   | IP55WM15U-ODG                     | 15 | 730    | NO          | 28 |
| 15u  | IP55WM15U-ODGV                    | 15 | 730    | YES         | 29 |

| dels | Code          | U  | Height | Vente | d kg's |
|------|---------------|----|--------|-------|--------|
| ОШ   | IP55WM20U-ODG | 20 | 950    | NO    | 34     |
| 20u  | IP55WM6U-ODGV | 20 | 950    | YES   | 35     |

|      | Code              | U | Height | Depth | Vented | kg's |
|------|-------------------|---|--------|-------|--------|------|
| , co | IP55WM4U.550.ODG  | 4 | 240    | 550   | NO     | 20   |
| ode  | IP55WM4U.650.0DG  | 4 | 240    | 650   | NO     | 23   |
| E    | IP55WM4U.550.ODGV | 4 | 240    | 550   | YES    | 21   |
| 4    | IP55WM4U.650.0DGV | 4 | 240    | 650   | YES    | 24   |

|     | Code              | U | Height | Depth | Vented | kg's |
|-----|-------------------|---|--------|-------|--------|------|
| eis | IP55WM6U.550.0DG  |   |        |       |        | 23   |
| pou | IP55WM6U.650.0DG  |   |        |       |        | 27   |
|     | IP55WM6U.550.0DGV | 4 | 330    | 550   | YES    | 24   |
| 9   | IP55WM6U.650.0DGV | 4 | 330    | 650   | YES    | 28   |

|     | Code              | U | Height | Depth | Vented | kg's |
|-----|-------------------|---|--------|-------|--------|------|
| els | IP55WM9U.550.ODG  | 9 | 460    | 550   | NO     | 28   |
| Do  | IP55WM9U.650.0DG  | 9 | 460    | 650   | NO     | 31   |
| u n | IP55WM9U.550.0DGV | 9 | 460    | 550   | YES    | 29   |
| 6   | IP55WM9U.650.0DGV | 9 | 460    | 650   | YES    | 32   |

|     | Code               | U   | Height | Depth | Vented | kg's |
|-----|--------------------|-----|--------|-------|--------|------|
| els | IP55WM12U.550.0DG  | 12  | 600    | 550   | NO     | 34   |
| pou | IP55WM12U.650.0DG  | 12  | 600    | 650   | NO     | 36   |
| u n | IP55WM12U.550.0DGV | /12 | 600    | 550   | YES    | 35   |
| 12  | IP55WM12U.650.0DGV | /12 | 600    | 650   | YES    | 37   |

|     | Code               | U  | Height | Depth | Vented | kg's |
|-----|--------------------|----|--------|-------|--------|------|
| els | IP55WM15U.550.ODG  | 15 | 730    | 550   | NO     | 38   |
| pou | IP55WM15U.650.0DG  | 15 | 730    | 650   | NO     | 42   |
| 5   | IP55WM15U.550.0DGV | 15 | 730    | 550   | YES    | 39   |
| 15  | IP55WM15U.650.ODGV | 15 | 730    | 650   | YES    | 43   |

|     | Code               | U   | Height | Depth | Vented | kg's |
|-----|--------------------|-----|--------|-------|--------|------|
| es  | IP55WM20U.550.0DG  | 20  | 730    | 550   | NO     | 45   |
| Dog | IP55WM20U.650.0DG  | 20  | 730    | 650   | NO     | 50   |
| 5   | IP55WM20U.550.0DG\ | /20 | 730    | 550   | YES    | 46   |
| 20  | IP55WM20U.650.0DG\ | /20 | 730    | 650   | YES    | 51   |







www.cps-africa.com

#### **CPS House**

Cnr Suttie Road and James Crescent, Halfway House, Midrand, Gauteng, South Africa

Tel +27 11 312 9310 Fax +27 11 312 4392 Email info@cps-africa.com www.cps-africa.com



