



# POLAR RANGE OF EV (Environmental) CABINETS

### Cold series of cabinets

The air conditioned units are fitted with a condensate dissipater perfect for production environments









## Polar EV Cabinets

Width: 600 & 800mm Depths: 1000, 1200mm

Heights: 25u, 34u, 38u, 42u, 47u

The POLAR cabinet range is ideal for harsh environments in the industrial sector, mining, power plants etc. Heavy guage steel and sealing with continuous air cushioned rubber gaskets ensures the cabinet is dust and water proof. The front and rear doors are secured with a 3 point locking system.

1 Loading Capacity 1200 kg's

2 Materials High-quality cold rolled

steel

**3 Thickness Cabinet:** 1.6mm mild steel

**Mounting rails:** 2mm - mild steel **Doors and side panels:** 1.6mm mild

steel

 4 Side Panels Removable
5 Doors Front and rear
6 Colors Black-RAL9004 White-RAL7035

Crov PAL 7032

Grey-RAL7032

7 Surface Finish Degreasing, Pickling, Phosphating,7 Tank Dip System Powder Coating

8 Cable entry glands provided in base plinth



#### Server-Racks

Get the most out of your server room storage with our server racks and accessories. Our range offers a stable and durable platform for your valuable network and AV equipment.

#### We can help you:

- Neatly store and secure equipment
- Ensure easy access and monitoring
- Manage cooling and airflow issues
- Manage cable issues to reduce clutter
- Fit your equipment properly in its space with different size and mounting options



# 600mm Wide (19")

odels	Code	U	Height	Depth	kg's
) H	IP52V.6825.GRYEV	25	1430	800	120
25u	IP52V.6025.GRYEV	25	1430	1000	135

dels	Code	U	Height	Depth	kg's
	IP52V.6834.GRYEV	34	1830	800	139
34n	IP52V.6034.GRYEV	34	1830	1000	156

models	Code	U	Height	Depth	kg's
_	IP52V.6838.GRYEV	38	2012	800	147
38n	IP52V.6038.GRYEV	38	2012	1000	165

dels	Code	U	Height	Depth	kg's
	IP52V.6842.GRYEV	42	2190	800	162
42n	IP52V.6042.GRYEV	42	2190	1000	182

dels	Code	U	Height	Depth	kg's
) E	IP52V.6847.GRYEV	47	2412	800	173
47n	IP52V.6047.GRYEV	47	2412	1000	194

#### **COLD RACK SERIES: AIR CONDITIONERS**

CODE	WATT	Ht	W	D
EVE040	500w	630	310	220
EVE080	850w	630	310	220
EVE110	*1050w	930	410	240
EVE140	*1400w	930	410	240
EVE200	*2000w	930	410	240
EVE280	*2700w	1234	508	375
EVE410	*4000w	1234	508	375

Tel +27 11 312 9310 Fax +27 11 312 4392 Email info@cps-africa.com www.cps-africa.com

# 800mm Wide (19")

dels	Code	U	Height	Depth	kg's
mo	IP52V.8825.GRYEV	25	1430	800	138
25u	IP52V.8025.GRYEV	25	1430	1000	155

dels	Code	U	Height	Depth	kg's
mo	IP52V.8834.GRYEV	34	1830	800	159
340	IP52V.8034.GRYEV	34	1830	1000	177

dels	Code	U	Height	Depth	kg's
mod	IP52V.8838.GRYEV	38	2012	800	169
38u	IP52V.8038.GRYEV	38	2012	1000	188

dels	Code	U	Height	Depth k	g's
) mo	IP52V.8842.GRYEV	42	2190	800 1	.85
42n	IP52V.8042.GRYEV	42	2190	1000 2	207

dels	Code	U	Height	Depth	kg's
mo	IP52V.8847.GRYEV	47	2412	800	197
47n	IP52V.8047.GRYEV	47	2412	1000	220







www.cps-africa.com

#### **CPS House**

Cnr Suttie Road and James Crescent, Halfway House, Midrand, Gauteng, South Africa

Tel +27 11 312 9310 Fax +27 11 312 4392 Email info@cps-africa.com www.cps-africa.com



